

11. Eklavya Colony Slum

Date of Consultation: 19-05-06

Venue: Slum Locality

Stake holder's Profile: stakeholders in the consultation including residents of slum

Sectors	Satisfaction levels
Water Supply	Inadequate supply with bad quality. Timings are not fixed.
Sewerage/Sanitation	No sewerage system and residents go for open defecation.
Drainage	No proper cleaning of nalas.
SWM	Two dustbins and are cleaned properly.
Roads	Roads damaged but streetlights are in good condition.
Housing	Almost all houses are pucca
Health	One PHC but medicines are not given
Education	1 primary school, 1 Anganwadi in the locality and no library.
Other Community Level Infra.	1 community Hall and two community water taps.
O&M System	UMC
Overall City Infrastructure	All the facilities are available.

Vision 2025 for Udaipur – Mission Statement: -

Willingness to Pay (user charges) – for the improved services? If yes then how much (In percentage)?

Not willing to pay

	Priority for Development
Drainage	2
SWM	6
Traffic Management	8
Water Supply	3
Sewerage	1
Urban Environment	7
Roads	4
Housing	5
Street lighting	9

12. Shivaji Nagar Slum

Date of Consultation: 19-05-06

Venue: Slum Locality

Stakeholder's Profile: Stakeholders in the consultation including Residents of Slum

Sectors	Satisfaction levels
Water Supply	No Proper water coverage.
Sewerage/Sanitation	Toilets are not available at community level.
Drainage	No Nalas, only one drains.
SWM	Not a single dustbin is located in this area.
Roads	Not proper roads and no streetlights.
Housing	All houses are Kutcha.
Health	One PHC but medicines not given
Education	1 primary school (1 km.), 1 Anganwadi and no library.
Other Community Level Infra.	No community Infrastructure.
O&M System	UMC also do not pay attention.
Overall City Infrastructure	Basic amenities are still lacking.

Vision 2025 for Udaipur – Mission Statement: -

Provide education and employment to all.

Willingness to Pay (user charges) – for the improved services? If yes then how much (In percentage)?

Willingness to pay for improved services

Consultation Findings/Issues discussed:

No as majorities are from economically deprived class.

	Priority for Development
Drainage	5
SWM	2
Traffic Management	9
Water Supply	1
Sewerage	3
Urban Environment	8
Roads	7
Housing	6
Street lighting	4

13. Patel Nagar Slum

Date of Consultation: 19-05-06

Venue: Slum Locality

Stakeholder's Profile: Stakeholders in the consultation including Residents of Slum

Sectors	Satisfaction levels
Water Supply	Inadequate supply with no pressure also timing is improper.
Sewerage/Sanitation	No sewerage line.
Drainage	Drain gets blocked often.
SWM	No dustbin and not proper maintenance for clean.
Roads	Roads are ok. But no streetlights.
Housing	Houses are pucca but land possession is also a problem.
Health	One PHC but medicines not given
Education	1 primary school (1 km.), 1 Anganwadi and no library.
Other Community Level Infra.	No community Infrastructure.
O&M System	No located Vikas Samiti in slum area and UMC also do not pay attention.
Overall City Infrastructure	Wide roads and rich heritage.

Vision 2025 for Udaipur – Mission Statement: -

“Clean and green Udaipur”

Willingness to Pay (user charges) – for the improved services? If yes then how much (In percentage)?

Willingness to pay for improved services

	Priority for Development
Drainage	4
SWM	3
Traffic Management	9
Water Supply	1
Sewerage	2
Urban Environment	7
Roads	5
Housing	8
Street lighting	6

14. Bakeni Pulia Slum

Date of Consultation: 19-05-06

Venue: Slum Locality

Stake holder’s Profile: Stakeholders in the consultation including Residents of Slum

Sectors	Satisfaction levels
Water Supply	No water coverage. 3 hand pumps out of which 1 is functioning.
Sewerage/Sanitation	No public or private toilets and not exist any sewerage line.
Drainage	No drain of any kind.
SWM	Dustbins are not located and no safai karmchari visit the slum.

Roads	No roads and no streetlights in there.
Housing	Mixed settlement and no land possession.
Health	One PHC but medicines not given
Education	1 primary school in the locality, 1 Anganwadi and no library.
Other Community Level Infra.	No community Infrastructure.
O&M System	No Basti Samiti working in slum area and UMC also do not pay attention.
Overall City Infrastructure	All the facilities compared to any metro city.

Vision 2025 for Udaipur – Mission Statement: -

“Provide Basic amenities for all”

Willingness to Pay (user charges) – for the improved services? If yes then how much (In percentage)?

Willingness to pay for improved services

	Priority for Development
Drainage	5
SWM	4
Traffic Management	8
Water Supply	1
Sewerage	3
Urban Environment	9
Roads	2
Housing	6
Street lighting	7

15. Ambagarh Slum

Date of Consultation: 20-05-06

Venue: Slum Locality

Stakeholder’s Profile: Stakeholders in the consultation including Residents of Slum

Sectors	Satisfaction levels
Water Supply	Adequate and quality is good.
Sewerage/Sanitation	Toilets are connected to sewerage.
Drainage	Open drainage gets overflowed as the same are congested and are not cleaned.
SWM	One dustbin but more are required as it is inadequate.
Roads	Proper roads and streetlights.
Housing	Almost all houses are pucca but land possession is a big problem.
Health	One PHC but medicines not given
Education	1 primary school in the locality, 1 Anganwadi and no library but not existing school building

Other Community Level Infra.	Park is there but highly ill management by UMC. They need community hall in slum area.
O&M System	UMC
Overall City Infrastructure	World-class tourism and clean city.

Vision 2025 for Udaipur – Mission Statement: -

“Clean Udaipur with Employment for all”

Willingness to Pay (user charges) – for the improved services? If yes then how much (In percentage)?

Willingness to pay for improved services, Provided User charger are cheap

	Priority for Development
Drainage	1
SWM	2
Traffic Management	5
Water Supply	4
Sewerage	9
Urban Environment	6
Roads	7
Housing	3
Street lighting	8

16. Ambamata Harijan Basti

Date of Consultation: 19 May 2006

Venue: Ambamata Harijan Basti

Stake holder’s Profile: Stakeholders in the consultation including Male-4, Female-3 and children 5

Sectors	Satisfaction levels
Water Supply	Water supply is proper. 2hour supply, 8-9 hand pumps.
Sewerage/Sanitation	Sewerage line is not in good condition. Dirty water released in lake.
Drainage	Drainage system is well developed. Cemented deep drains are built.
SWM	Waste is dumped outside houses. Containers kept but not maintained.
Roads	Roads are wrecked and turnout. Streetlights are in a good condition.
Housing	Maximum houses well constructed. 75 % gas connections.
Health	Nearby satellite hospital but no adequate services provided.
Education	Sr. Sec. school, private schools .no girls school.
Other Community Level Infra.	One community center, used by all. No library and park.
O&M System	Inhabitants themselves take care of maintenance.
Overall City Infrastructure	Issues like sewerage, phone, and roads need proper attention.



	Priority for Development
Drainage	8
SWM	3
Traffic Management	4
Water Supply	5
Sewerage	1
Urban Environment	9
Roads	2
Housing	6
Street lighting	7

Vision 2025 for Udaipur – Mission Statement

“Udaipur must be connected to major cities. Metro trains must be started. Industries should be established”.

Willingness To Pay (user charges) – for the improved services? If yes then how much more (in percentage)?

Agree to pay 30%

Consultation Findings/Issues discussed:

Here maximum facilities are adequate. Roads need to be reconstructed; city bus facility will be more beneficial for this area.

17. Nokha Slum Area

Date of Consultation: 20 May 2006

Venue: Nokha

Stakeholder's Profile: Stakeholders in the consultation including Male-4, Female-2

Sectors	Satisfaction levels
Water Supply	Tap connections are there.3 wells,and 2 hand pumps.
Sewerage/Sanitation	No sewerage connections, separate home toilets.
Drainage	No proper drainage facility, half built drains.
SWM	Waste dumped near fields, no containers.
Roads	Kuchha roads, Proper Street light maintenance.
Housing	Joint families, 90% gas connections.
Health	No regular check ups, hospital 5km away.
Education	Primary, ups and private schools. no girls school.
Other Community Level Infra.	No community center, park, and library.
O&M System	Self maintained no govt. contribution.

	Priority for Development
Drainage	1
SWM	2
Traffic Management	6
Water Supply	5
Sewerage	4
Urban Environment	3
Roads	7
Housing	9
Street lighting	8

Overall City Infrastructure	Roads are not properly laid and needs high attention.
-----------------------------	---



Vision 2025 for Udaipur – Mission Statement

“Industrial set up to eradicate unemployment Broad gauge must be connected to Ahemadabad”.

Willingness To Pay (user charges) – for the improved services? If yes then how much more (in percentage)?

Agree to pay Rs. 1000 to 2000 per family once for overall development.

Consultation Findings/Issues discussed:

The inhabitants do operation and maintenance; govt. is not paying any attention. Area needs development. Drainage system must be given priority.

18. Krishna Coloney/Paneriyon Ki Madri

Date of Consultation: 20 May 2006

Venue: Krishna Colony, Paneriyon Ki Madri

Stake holder's Profile: Stakeholders in the consultation including Male-6, Female-5

and Childrer6

Sectors	Satisfaction levels
Water Supply	Water supply mainly depends on 22 handpumps, 2 tube wells and 3 taps.
Sewerage/Sanitation	No sewerage connections, limited safety tanks.
Drainage	No proper drainage system, water released in open area.
SWM	Insufficient no. of sweepers, no containers.
Roads	60% roads are built 7 years ago, not yet repaired.
Housing	Insufficient space to live. 12 members living in one room.
Health	No medical store and nursing facilities, satellite hospital is 2.5km away from the area.
Education	Satisfactory. Primary (government), middle (private) school, 2 Anganvadi working properly.
Other Community Level Infra.	No community hall, library and park.
O&M System	No proper maintenance by Govt.
Overall City Infrastructure	Overall condition is bad. Well-planned management is

required.



	Priority for Development
Drainage	3
SWM	6
Traffic Management	8
Water Supply	1
Sewerage	2
Urban Environment	9
Roads	7
Housing	4
Street lighting	6

Vision 2025 for Udaipur – Mission Statement

“City should be developed with proper planning, lake preservation issue is stressed. Roads should be developed according to traffic pressure. Industrial renaissance is needed for employment”.

Willingness To Pay (user charges) – for the improved services? If yes then how much more (in percentage)?

Not willing to pay. If necessary can pay up to Rs.10

Consultation Findings/Issues discussed:

It is observed that people are much active to chase maximum benefits. They stressed on educational, health and water supply .sewerage and drainage systems also needs attention.

19. Banjara Basti

Date of Consultation: 20 May 2006

Venue: Banjara Basti

Stake holder’s Profile: Stakeholders in the consultation including Male-3, Female-4

Sectors	Satisfaction levels
Water Supply	No tap connections, one hand pump but water not suitable for drinking.
Sewerage/Sanitation	No sewerage facility, no toilets even.
Drainage	Drains are dirty and no proper maintenance, water flows on the roads.
SWM	Waste dumping in open area no containers.

Roads	Cemented roads constructed, streetlights not properly maintained.
Housing	6 to 8 people live in one house, no gas connections.
Health	Satellite hospital not used due to lack of money. Dispensary far away
Education	Primary ups school and anganwadi is set up.
Other Community Level Infra.	No community center, park, library etc.
O&M System	People themselves maintain the area.
Overall City Infrastructure	Local bodies are not paying proper attention, all the facilities are inadequate



	Priority for Development
Drainage	3
SWM	4
Traffic Management	9
Water Supply	1
Sewerage	2
Urban Environment	7
Roads	8
Housing	5
Street lighting	6

Vision 2025 for Udaipur – Mission Statement

“People need all the facilities; they don’t have any idea about development of the city”.

Willingness To Pay (user charges) – for the improved services? If yes then how much more (in percentage)?

people here are below poverty line, not in a condition to pay.

Consultation Findings/Issues discussed:

All the major issues were discussed. water supply, is inadequate, sanitary conditions are poor.

20. Dr.Ambedkar Colony

Date of Consultation: 20 May 2006

Venue: Dr.Ambedkar Colony

Stakeholder’s Profile: Stakeholders in the consultation including Male4, Female-2

Sectors	Satisfaction levels
Water Supply	Tap connections are there,5 hand pumps, one tube wells
Sewerage/Sanitation	No sewerage lines, home tanks, no complex built.
Drainage	Drains on both the sides of road, no proper maintenance.
SWM	Containers are kept but not cleaned on time.
Roads	Good condition.
Housing	Almost all the houses are well constructed, 60% gas connections
Health	Satellite hospital nearby, no anganwadi.
Education	Primary, secondary, girls school nearby.
Other Community Level Infra.	One park, one community hall with all required facilities, maintained by the inhabitants.
O&M System	No contribution by the local bodies, self maintained.
Overall City Infrastructure	This area is having all the facilities that is maintained they, govt. is paying no attention.



	Priority for Development
Drainage	5
SWM	4
Traffic Management	8
Water Supply	1
Sewerage	2
Urban Environment	7
Roads	3
Housing	6
Street lighting	9

Vision 2025 for Udaipur – Mission Statement

“Udaipur must be connected with Ahmedabad by broad gauge”.

“Rope way must be started.*unempbyment must be eradicated from roots”.

Willingness To Pay (user charges) – for the improved services? If yes then how much more (in percentage)?

Not willing to pay, govt. should use the funds allotted for development.

Consultation Findings/Issues discussed:

All the facilities are operated and maintained by the inhabitants. Upper mentioned areas were discussed and govt. attention is required.

21. Aawarimata Slum Area

Date of Consultation: 20 May 2006

Venue: Aawarimata Slum Area

Stakeholder's Profile: Stakeholders in the consultation including Male 3, Female 4 and Children 5

Sectors	Satisfaction levels
Water Supply	No tap connections, one hand pump but water not suitable for drinking.
Sewerage/Sanitation	No sewerage facility, no toilets even.
Drainage	Drains are dirty and no proper maintenance, water flows on the roads.
SWM	Waste dumping in open area, no containers.
Roads	Wrecked roads, street lights not properly maintained.
Housing	6 to 8 people live in one house, no gas connections.
Health	City hospital far away, no dispensary.
Education	Primary ups school, and anganwadi is set up. no girls school.
Other Community Level Infra.	No community center, park, library etc.
O&M System	People themselves maintain the area.
Overall City Infrastructure	Local bodies are not paying proper attention, all the facilities are inadequate



	Priority for Development
Drainage	3
SWM	4
Traffic Management	8
Water Supply	1
Sewerage	2
Urban Environment	9
Roads	5
Housing	7
Street lighting	6

Vision 2025 for Udaipur – Mission Statement

“People need all the facilities; they don’t have any idea about development of the city”.

Willingness To Pay (user charges) – for the improved services? If yes then how much more (in percentage)?

Not willing to pay.

Consultation Findings/Issues discussed:

The inhabitants do operation and maintenance; govt. is not paying any attention. Area needs development. Drainage system must be given priority

22. Alipura/Krishnapura Slum Area

Date of Consultation: 21 May 2006

Venue: Alipura

Stakeholder's Profile: Stakeholders in the consultation including male-5

Sectors	Satisfaction levels
Water Supply	No tap connections, one hand pump but water not suitable for drinking. No tank facility
Sewerage/Sanitation	No sewerage connections, separate home toilets.
Drainage	No proper drainage facility, half built drains. no maintenance
SWM	Waste dumped on roads, no containers.
Roads	Waste is dumped outside houses. Containers kept but not maintained.
Housing	90% houses well constructed, 10% gas connections
Health	Malaria is the major problem, 1km away dispensary
Education	No anganwadi, one girls school
Other Community Level Infra.	No community center, park, library etc.
O&M System	People themselves maintain the area.
Overall City Infrastructure	Lack of all the required facilities, no attention paid



Vision 2025 for Udaipur – Mission Statement

	Priority for Development
Drainage	3
SWM	4
Traffic Management	8
Water Supply	2
Sewerage	1
Urban Environment	9
Roads	5
Housing	7
Street lighting	6

Willingness To Pay (user charges) – for the improved services? If yes then how much more (in percentage)?
 Not willing to pay.

Consultation Findings/Issues discussed:

The inhabitants do operation and maintenance; govt. is not paying any attention. Area needs development. Sewerage and drainage system must be given priority.

CONSULTATION II: ALL LINE DEPARTMENTS

Date of Consultation: 18-05-06

Venue: Urban Improvement Trust, Udaipur

Stake holder’s Profile: The Stakeholders were members of government departments (over 30 officials participated)

Consultation Findings and Issues discussed:-

Roads & traffic management

?? The stakeholders called for old city to be parking place.

- ?? They asked for develop new Bus terminal outside from Udaipur city.
- ?? They asked for decongestion of old city area by relocated all government offices to other parts of city.
- ?? The stakeholders asked for manage traffic signals and traffic problem and new develop pedestrian along with all roads.
- ?? Parking place develop on one side of Fateh Sagar Lake.
- ?? In the old city area: Jagdish choke area, Moti chohatta area in Government land or open space use for parking place.
- ?? The participates felt that there was lack of parking space for the guests' vehicles.

Heritage and Tourism Development:

- ?? The stake holds called for conservation of heritage sites and city's character as a tourist city.
- ?? In the old city, at least routes connecting tourist sports should be pedestrianised "Heritage walk".
- ?? All the encroachments should be removed and all the cables and utilities should be made under ground.
- ?? They asked for maintain tourist places, Lake Conservation and preservation,

Lake Conservation

- ?? They asked for ring road should be developing surrounding Pichhola Lake.
- ?? The stakeholders asked Conservation and preservation all lakes: Pollution free and surrounding areas develop greenery.

	Priority for Development
Drainage	6
SWM	4
Traffic Management	2
Water Supply	1
Sewerage	5
Urban Environment	3
Roads	7

CONSULTATION III: HOTEL ASSOCIATION

Date of Consultation: 24-05-06

Venue: Urban Improvement Trust, Udaipur

Stake holder's Profile: The Stakeholders were members of Hotel Association and Guide Association.

Consultation Findings and Issues discussed:-

Roads & traffic management

- ?? The stakeholders asked Main roads should be widen 50-100 feets and NH 8 and Sisarma road
- ?? They asked Tekri link road should be utilized to divide traffic pressure.
- ?? The participants asked for traffic management is needed to be controlled.

Heritage and Tourism Development:

- ?? The stakeholders asked Heritage building and including Gates should be beautification and preserved.
- ?? Udaipur should identify as tourism and Heritage destination.
- ?? They asked for Tourism Department should be improved tourist places and income also.
- ?? Single window plan at tourist help centre and trained staff should be disputed.
- ?? "Chardham of Mewar": Nathdwara, Eking ji, charbhuj and Rishabhdev should develop as linked tourist destination. Along Chawand, Jaisamand and Gogunda specilly should be developed as hill station, Hotels & Handicrafts, Showroom should be established there.

Lake Conservation

- ?? Develop new parks surrounding lake area.
- ?? Ahar River should be developed as eco zone and tourist attracton centre.

City Development:

- ?? They asked for Pollution free zone should be developed along with at Pichhola Lake and Fateh sagar Lake.
- ?? There tanga should encouraged as transportation means.
- ?? Boating at Fateh sagar should located at Rani Road to control taffic pressure at the location.
- ?? Plantation will increase the greenery.
- ?? Agriculture land around Udaipur should be utilized for greenery development and forestation.

Overall City Infrastructure

- ?? The stakeholders asked for City station and Bus stand should be develop.
- ?? They asked for Stadium should be developed as international status at chitrakoot Nagar.
- ?? Saraswati Bhawan of Gulab bagh should be converted into museum and Appu Ghar and lightening, eco sound system and sound and light show system should be developed at tourist centers

?? Slum should be allotted land near by satellite town with proper facilitation.

	Priority for Development
Drainage	5
SWM	2
Traffic Management	1
Water Supply	4
Sewerage	6
Urban Environment	3

CONSULTATION IV: MUNICIPAL COUNCILORS

Date of Consultation: 22-05-06

Venue: Municipal Council, Udaipur

Stake holder's Profile: The Stakeholders were members of Municipal Council, Udaipur

Consultation Findings and Issues discussed:-

Roads & traffic management

- ?? The stakeholders asked for old city area in narrow streets traffic create problem.
- ?? They asked for cables should be under ground in old city area.
- ?? New develop Parking places and under ground parking in old city should be develop.
- ?? They asked for traffic management is a big problem as the traffic inside the four gates (Udai pole, Hathi pole, Delhi gate and Surajpole) it creating problems.

Heritage and Tourism Development:

- ?? The stakeholders asked Udaipur famous as "City of Lakes" but last many years Udaipur has lack of tourists.
- ?? They asked for tourism department must preserve and conserve the heritage buildings.
- ?? Lakes should be beautified; nearby tourist areas should be developed.
- ?? Heritage walk should be developed but old Havelis should not get damaged and uniformity should be maintained.